

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM BOYLE SKENE WAHL

OCIOCO # OCIOCO OCIOCO

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: <u>\(\lambda\)</u> \(\lambda\)
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: / /
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Bolivar Commercial
	Date Published: <u>Le /22/10</u>
	CCR was posted in public places. (Attach list of locations)
	Date Posted:/_/
	CCR was posted on a publicly accessible internet site at www.
CERT	IFICATION
system and con	y certify that a consumer confidence report (CCR) has been distributed to the customers of this public water in the form and manner identified above. I further certify that the information included in this CCR is true treet and is consistent with the water quality monitoring data provided to the public water system officials by assissippi State Department of Health, Bureau of Public Water Supply.
Name)	Title (President, Mayor, Owner, etc.) Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box: 1700/Jackson, MS 39215
Phone: 601-576-7518

RECEIVED-WATER SUPPL

2010 JUN -2 PM 12: 14

2009 Annual Drinking Water Quality Report Boyle Skene Water Association PWS#: 0060044, 0060047, 0060050 & 0060051 June 2009

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Sparta Sand Formation Aquifer,

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Boyle Skene Water Association have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Mike Tarver at 662.588.7061. We want our

at the at the	no r
We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water according to Federal and State laws. This table below lists all of the drinking water according to Federal and State laws.	king
water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wa	
required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it disso	
naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the prese	
of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment pla	ınts.

septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#	0060044			TEST RESUI	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL.	Likely Source of Contamination

10. Barium	N	2008*	.002	No Range	ррі	m	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.3	0	ррі	m	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.266	.256266	ррі	m	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	3	0	ppl	0	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	.692	No Range	ppl	0	50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfectio	n By-l	Product	S	No Range	ppb	0			By-Product of drinking water
82. TTHM [Total trihalomethanes]	N	2008*	5	1.06 8.61	ppb	0		80	disinfection. By-product of drinking water chlorination.
Chlorine	N	2009	1.8	.6 – 1.8	ppm	0	MDI	RL = 4	Water additive used to control

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL	or Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (Contam	inants						
10. Barium	N	2008*	.002	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.7	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.283	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	12	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	1.4	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfectio	n By-Pr	oducts						
82. TTHM [Total trihalomethanes]	N	2008* 2	.03 N	lo Range p	ob	0		By-product of drinking water chlorination.
Chlorine	N :	2009 .	5 .5	355 p	om	0 MD		Water additive used to control microbes

PWS ID#0	006005	0		TEST RES	SUI	LTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detect # of Sample Exceeding MCL/ACL	s	Unit Measure -ment	MC	LG	MCL	Likely Source of Contamination
Inorganic (Contan	ninants								
10. Barium	N	2008*	.002	No Range		ppm		2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.7	0		ppm		1.3	AL=1.	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.288	.282288		ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	4	0		ppb		0	AL=1	 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	1.1	No Range		ppb		50	5	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfection	n By-P	roducts								
81. HAA5	N	2008*	6	No Range	ppb		0		60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2008*	1.91	No Range	ppb		0		80	By-product of drinking water chlorination.
Chlorine	N	2009	.5	No Range	ppm		0	MDI	RL = 4	Water additive used to control microbes

PWS ID#	1000021	-		TEST RES	OLIS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL	or Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (Contam	inants						
10. Barium	N	2008*	.006	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009	.5	0	ppm	1.0	AL=1.3	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.32	.2832	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009	7	0	ppb		AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	1.3	1.1 – 1.3	ppb	50	50	D Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-Pr	oducts						
82. TTHM [Total trihalomethanes]	, , , , , , , , , , , , , , , , , , , ,		1.87	lo Range	opb	0	80	By-product of drinking water chlorination.
Chlorine	N :	2009	.50 N	lo Range	ppm	0 M	DRL = 4	Water additive used to control microbes

* Most recent sample. No sample required for 2009.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Boyle Skene Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

PROOF OF PUBLICATION

2010 JUN 28 AM 9: 52

STATE OF MISSISSIPPI, COUNTY OF BOLIVAR.

Personally appeared before me, the undersigned authority in and for the County of Bolivar, State of Mississippi, MARK S. WILLIAMS, Publisher of THE BOLIVAR COMMERCIAL, daily newspaper and published in the City of Cleveland, in said Country and State who, on oath, deposes and says that The Bolivar Commercial is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1958 of the Miss. Code of 1942, and that the publication of which the instrument annexed is a true copy, was published in said paper, to wit:

In Volume <u>94</u>	No. <u>101</u>	Dated Que	ue. 22	20 10
In Volume		<i>K.</i> /		
In Volume	No	Dated		
In Volume	No	Dated		
In Volume	No	Dated		20
In Volume	No	Dated	**************************************	. 20
and that said newspaper "I first publication" of this no	otice.	ay an	Selection of the select	prior to the
day of June		,20 <u>10</u> .) Make	annson
			Notary Publ	ic
My Commission e	xpires		8/17	_, 20 <u>/ Z</u>
Publishers's Fee \$.		•	

2009 Annual Drinking Water Quality Report Boyle Skene Water Association PWS#: 0060044, 0060047, 0060050 & 0060051 June 2009

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Sparta Sand Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Boyle Skene Water Association have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Mike Tarver at 662.588.7061. We want our valued customers to be informed about their water utility. If you want to learn more, please attend a special meeting being held on June 29 at 5:00 pm at the office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife, production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituent does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

Action Level - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level - (MCL)The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - One part per million corresponds to one minute in two years or a single penny in \$10,000. Parts per billion (pph) or Micrograms per liter - One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#				TEST R		LIS			
V STANTING IN	Violatio Y/N	n Date Collecte	d Detecte		iples ling	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contan	ninants							
10. Barium	N	2008*	.002	No Range		ppm		, ,	
14. Copper	N	2008*			7	ppn	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride			3	0		ppm	1.3	AL=1.	S Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead		2008*	.266	.256266		ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
21. Selenium	l"	2008*	3	0		ppb	0	AL=1	
****	1"	2008	.692	No Range		ppb	50	- 50	
Disinfectio	n By-Pı	oducts							Section III, 1965
31. HAA5	N .	2008*	7	No Range	ppb		0	60	By-Product of drinking water
2. TTHM Fotal ihalomethanes)	N	2008*		1.06 - 8.61	dqq		o	80	disinfection: By-product of drinking water chlorination.
hlorine	N :	2009	1.8	6-1.8	ppm		0 MDR		Water additive used to control

PWS ID#0	060047		TEST RESU	TS.			
Centaminant	Violation Y/N	Date Collected	 Range of Detects or # of Samples Exceeding	Unit Measure	MCLG	MCL	Likely Source of Contamination
		7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MCL/ACE	-ment			

10. Barium	N	2008*	.002	No Range	ppm		2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N 9 9(83).	2008*	. 7	0	ppm		1.3	AL=1.3	
16. Fluoride	N .3051-10	2008*	.283	No Range	ppm		4	Ą	Erosion of natural deposits; water additive which promotes strong teath; discharge from fertilizer and aluminum factories
17 Lead	N	2008*	12	0	ppb		0	AL=15	
21. Selenium	N	2008*	1.4	No Range	ppb		50	50	
Disinfection	n By-Pr	oducts							
82. TTHM [Total trihalomethanes]	N 2	2008*	2.03	No Range	ppb	0		80 B	By-product of drinking water chlorination.
Chlorine	N 2	2009	.5	.35 ~ .5	ppm	0	MDR		Water additive used to control microbes

PWS ID#	006005	0ر			TEST R	ESU	LTS	}				
Contaminant	Violation Y/N	n Date Collecte			Range of Det # of Samp Exceedin MCL/AC	ples ing	Mea	nit isure ient	MCL	G	MGL	Likely Source of Contamination
Inorganic	Contar	ninants	ś									
10. Barlum	N	2008*	.002		No Range		ppm			2	2	discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	7		0		ppm			1.3	AL=1.3	
16. Fluoride	N	2008*	.288		.282288		ppm			4	4	
17. Lead	N	2008*	4		0		ppb			0	AL=15	
21. Selenium	N	2008*	1.1		No Range		ppb		F	50	50	
Disinfectio	n By-P	roducts	3									1.476
31. HAA5	N	2008*	6	No	o Range	ppb	T		0		60 E	By-Product of drinking water disinfection.
32. TTHM Total rihalomethanes]		2008*	1.91		o Range	ppb			0		80 E	By-product of drinking water chlorination.
Chlorine	N	2009	.5	No	o Range	ppm			O N	MDRL		Water additive used to control microbes
	Star Western						Tarana Tarana				(1311.20)	
PWS ID#(006005	1			TEST RE	ESUI	LTS					
ontaminant	Violation Y/N	Date Collected	Leve d Detect		Range of Dete # of Sample Exceeding	les	Uni Measi -mer	ure	MCLG	1	MCL	Likely Source of Contamination

Contaminant	Violation Y/N	Collected	Level Detected	Range of Detects of # of Samples Exceeding MCL/ACL	r Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inòrganic	Contan	ninants						
10. Barium	N	2008*	.006	No Range	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009	.5	0	ppm	1.3	AL=1.	
16. Fluoride	N	2008*	.32	.2832	ppm	•		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009	7	0	ppb	0	AL=1	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	1.3	1.1-1.3	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
<u>Disinfectio</u>	n By-Pi	roducts						
32. TTHM Total rihalomethanes]	N	2008*	.87 N	o Range ppt		0	80	By-product of drinking water chlorination.
Chlorine	N	2009 .	50 N	o Range ppr		O MD	RL = 4	Water additive used to control microbes

As you can see by the table, our system had not obtained the town of the stable. Most need to confirm the stable of the system had not obtained the town of the stable of the system had not obtained the town of the stable of the system had not obtained. We're proud that your drinking water is see by the table, our system had not obtained however the EPA has determined that your water that these levels of the constituents on a monthly basis. Results of the stable of the complete all monitoring are an indicator of whether or not our drinking water to be stellar to be selected however the EPA has determined that showed no coliform present. In an effort to ensure systems complete all monitoring the system of the